


MATH

1552

Chapter 8-10

Trig sub, partial fractions & L'Hop
Improper integrals, sequences/series
integral test



Math 1552

Section 8.4: Trigonometric Substitution

4	Jun 5 Section 8.3: Powers of Trig Functions	Jun 6 WS 8.2 WS 8.3	Jun 7 Review for Test 1	Jun 8 Test #1 (4.8, 5.1-5.6, 8.2-8.3)	Jun 9 Section 8.4: Trigonometric Substitution
5	Jun 12 Section 8.5: Partial fractions Section 4.5: L'Hopital's	Jun 13 WS 8.4 WS 8.5	Jun 14 Section 8.8: Improper Integrals	Jun 15 WS 8.5, 4.5 Quiz #3 (8.4-8.5)	Jun 16 Section 10.1: Sequences
6	Jun 19 NO CLASS June 19th	Jun 20 WS 8.8 WS 10.1	Jun 21 Section 10.2: Infinite Series	Jun 22 WS 10.1 cont. Quiz #4 (4.5, 8.8, 10.1)	Jun 23 Section 10.3: Integral Test
7	Jun 26 Section 10.4: Comparison Tests	Jun 27 WS 10.2 WS 10.3	Jun 28 Section 10.5: Ratio and Root Tests Review for Test 2	Jun 29 Test #2 (8.4-8.5, 4.5, 8.8, 10.1-10.3)	Jun 30 Section 10.5: cont. Section 10.6: Alternating Series

$$\int \sqrt{4-x^2} dx$$

$$\int \frac{1}{(9+x^2)^{3/2}} dx$$

$$\int \frac{1}{x^4 \sqrt{x^2-1}} dx$$

Today's Learning Goals

- Identify which types of integrals can be solved with a trigonometric substitution
- Learn which substitution matches which general form
- Evaluate integrals using the method of trigonometric substitution

Trigonometric Substitutions

We use a trig substitution when no other integration method will work, and when the integral contains one of these terms:

$$a^2 - x^2$$

$$x^2 - a^2$$

$$a^2 + x^2$$

Form 1:

When the integral contains a term of the form

$$a^2 - x^2,$$

use the substitution:

$$x = a \sin \theta$$

Form 2:

When the integral contains a term of the form

$$a^2 + x^2,$$

use the substitution:

$$x = a \tan \theta$$

Form 3:

When the integral contains a term of the form

$$x^2 - a^2,$$

use the substitution:

$$x = a \sec \theta$$

$$\int \sqrt{4-x^2} dx$$

Form 1:

When the integral contains a term of the form

$$a^2 - x^2,$$

use the substitution:

$$x = a \sin \theta$$

$$\int \frac{1}{(9+x^2)^{3/2}} dx$$

Form 2:

When the integral contains a term of the form

$$a^2 + x^2,$$

use the substitution:

$$x = a \tan \theta$$

$$\int \frac{1}{x^4 \sqrt{x^2 - 1}} dx$$

Form 3:

When the integral contains a term of the form

$$x^2 - a^2,$$

use the substitution:

$$x = a \sec \theta$$

$$\int_0^2 \frac{dx}{8 + 2x^2}$$

$$\int_0^{1/2\sqrt{2}} \frac{2 dx}{\sqrt{1-4x^2}}$$

$$\int_0^{\ln 4} \frac{e^t dt}{\sqrt{e^{2t}+9}}$$

$$\int \frac{x dx}{\sqrt{1+x^4}}$$

EXERCISES 8.4

Using Trigonometric Substitutions

Evaluate the integrals in Exercises 1–14.

- $\int \frac{dx}{\sqrt{9+x^2}}$
- $\int \frac{3 dx}{\sqrt{1+9x^2}}$
- $\int_{-2}^2 \frac{dx}{4+x^2}$
- $\int_0^2 \frac{dx}{8+2x^2}$
- $\int_0^{3/2} \frac{dx}{\sqrt{9-x^2}}$
- $\int_0^{1/2\sqrt{2}} \frac{2 dx}{\sqrt{1-4x^2}}$
- $\int \sqrt{25-t^2} dt$
- $\int \sqrt{1-9t^2} dt$
- $\int \frac{dx}{\sqrt{4x^2-49}}$ $x > 7$
- $\int \frac{5 dx}{\sqrt{25x^2-9}}$ $x > \frac{3}{5}$
- $\int \frac{\sqrt{y^2-49}}{y} dy$, $y > 7$
- $\int \frac{\sqrt{y^2-25}}{y^3} dy$, $y > 5$
- $\int \frac{dx}{x^2\sqrt{x^2-1}}$ $x > 1$
- $\int \frac{2 dx}{x^2\sqrt{x^2-1}}$ $x > 1$

Assorted Integrations

Use any method to evaluate the integrals in Exercises 15–34. Most will require trigonometric substitutions, but some can be evaluated by other methods.

- $\int \frac{x}{\sqrt{9-x^2}} dx$
- $\int \frac{x^2}{4+x^2} dx$
- $\int \frac{x^3 dx}{\sqrt{x^2+4}}$
- $\int \frac{dx}{x^2\sqrt{x^2+1}}$
- $\int \frac{8 dw}{w^2\sqrt{4-w^2}}$
- $\int \frac{\sqrt{9-w^2}}{w^2} dw$
- $\int \sqrt{\frac{x+1}{1-x}} dx$
- $\int x\sqrt{x^2-4} dx$
- $\int_0^{\sqrt{3}/2} \frac{4x^2 dx}{(1-x^2)^{3/2}}$
- $\int_0^1 \frac{dx}{(4-x^2)^{3/2}}$
- $\int \frac{dx}{(x^2-1)^{3/2}}$ $x > 1$
- $\int \frac{x^2 dx}{(x^2-1)^{5/2}}$ $x > 1$
- $\int \frac{(1-x^2)^{3/2}}{x^6} dx$
- $\int \frac{(1-x^2)^{1/2}}{x^4} dx$
- $\int \frac{8 dx}{(4x^2+1)^2}$
- $\int \frac{6 dt}{(9t^2+1)^2}$
- $\int \frac{x^3 dx}{x^2-1}$
- $\int \frac{x dx}{25+4x^2}$
- $\int \frac{v^2 dv}{(1-v^2)^{5/2}}$
- $\int \frac{(1-r^2)^{5/2}}{r^6} dr$

In Exercises 35–48, use an appropriate substitution and then a trigonometric substitution to evaluate the integrals.

- $\int_0^{\ln 4} \frac{e^t dt}{\sqrt{e^{2t}+9}}$
- $\int_{\ln(3/4)}^{\ln(4/3)} \frac{e^t dt}{(1+e^{2t})^{3/2}}$
- $\int_{1/12}^{1/4} \frac{2 dt}{\sqrt{t+4t\sqrt{t}}}$
- $\int_1^e \frac{dy}{y\sqrt{1+(\ln y)^2}}$
- $\int \frac{dx}{x\sqrt{x^2-1}}$
- $\int \frac{dx}{\sqrt{1-x^2}}$
- $\int \frac{x dx}{\sqrt{x^2-1}}$
- $\int \frac{dx}{\sqrt{1-x^2}}$
- $\int \frac{x dx}{\sqrt{1+x^4}}$
- $\int \frac{x dx}{\sqrt{1+x^2}}$
- $\int \sqrt{\frac{4-x}{x}} dx$
(Hint: Let $x = u^2$.)
- $\int \sqrt{x}\sqrt{1-x} dx$
- $\int \frac{\sqrt{1-(\ln x)^2}}{x \ln x} dx$
- $\int \sqrt{\frac{x}{1-x^3}} dx$
(Hint: Let $u = x^{3/2}$.)
- $\int \frac{\sqrt{x-2}}{\sqrt{x-1}} dx$

Complete the Square Before Using Trigonometric Substitutions

For Exercises 49–52, complete the square before using an appropriate trigonometric substitution.

- $\int \sqrt{8-2x-x^2} dx$
- $\int \frac{1}{\sqrt{x^2-2x+5}} dx$
- $\int \frac{\sqrt{x^2+4x+3}}{x+2} dx$
- $\int \frac{\sqrt{x^2+2x+2}}{x^2+2x+1} dx$

Initial Value Problems

Solve the initial value problems in Exercises 53–56 for y as a function of x .

- $x \frac{dy}{dx} = \sqrt{x^2-4}$, $x \geq 2$, $y(2) = 0$
- $\sqrt{x^2-9} \frac{dy}{dx} = 1$, $x > 3$, $y(5) = \ln 3$
- $(x^2+4) \frac{dy}{dx} = 3$, $y(2) = 0$
- $(x^2+1)^2 \frac{dy}{dx} = \sqrt{x^2+1}$, $y(0) = 1$


Applications and Examples

57. **Area** Find the area of the region in the first quadrant that is enclosed by the coordinate axes and the curve $y = \sqrt{9-x^2}/3$.58. **Area** Find the area enclosed by the ellipse


$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1.$$

59. Consider the region bounded by the graphs of $y = \sin^{-1} x$, $y = 0$, and $x = 1/2$.

- Find the area of the region.
- Find the centroid of the region.


60. Consider the region bounded by the graphs of $y = \sqrt{x \tan^{-1} x}$ and $y = 0$ for $0 \leq x \leq 1$. Find the volume of the solid formed by revolving this region about the x -axis (see accompanying figure).61. Evaluate $\int x^3 \sqrt{1-x^2} dx$ using

- integration by parts.
- a u -substitution.
- a trigonometric substitution.

62. **Path of a water skier** Suppose that a boat is positioned at the origin with a water skier tethered to the boat at the point $(30, 0)$ ona rope 30 ft long. As the boat travels along the positive y -axis, the skier is pulled behind the boat along an unknown path $y = f(x)$, as shown in the accompanying figure.a. Show that $f'(x) = \frac{-\sqrt{900-x^2}}{x}$.(Hint: Assume that the skier is always pointed directly at the boat and the rope is on a line tangent to the path $y = f(x)$.)b. Solve the equation in part (a) for $f(x)$, using $f(30) = 0$.

NOT TO SCALE

63. Find the average value of $f(x) = \frac{\sqrt{x+1}}{\sqrt{x}}$ on the interval $[1, 3]$.64. Find the length of the curve $y = 1 - e^x$, $0 \leq x \leq 1$.



Math 1552

Section 8.5:
The Method of Partial
Fractions

4	Jun 5 Section 8.3: Powers of Trig Functions	Jun 6 WS 8.2 WS 8.3	Jun 7 Review for Test 1	Jun 8 Test #1 (4.8, 5.1-5.6, 8.2-8.3)	Jun 9 Section 8.4: Trigonometric Substitution
5	Jun 12 Section 8.5: Partial fractions Section 4.5: L'Hopital's	Jun 13 WS 8.4 WS 8.5	Jun 14 Section 8.8: Improper Integrals	Jun 15 WS 8.5, 4.5 Quiz #3 (8.4-8.5)	Jun 16 Section 10.1: Sequences
6	Jun 19 NO CLASS June tenth	Jun 20 WS 8.8 WS 10.1	Jun 21 Section 10.2: Infinite Series	Jun 22 WS 10.1 cont. Quiz #4 (4.5, 8.8, 10.1)	Jun 23 Section 10.3: Integral Test
7	Jun 26 Section 10.4: Comparison Tests	Jun 27 WS 10.2 WS 10.3	Jun 28 Section 10.5: Ratio and Root Tests Review for Test 2	Jun 29 Test #2 (8.4-8.5, 4.5, 8.8, 10.1-10.3)	Jun 30 Section 10.5: cont. Section 10.6: Alternating Series

$$\int \frac{x^3 + 4x^2}{2x^2 + 8x - 10} dx$$

Today's Learning Goals

- Review partial fraction decomposition from algebra
- Learn to write partial fraction decompositions for functions with denominators that factor into products of linear and/or irreducible quadratic terms
- Evaluate integrals using the method of partial fractions

When to Use Partial Fractions:

Use the method of partial fractions to evaluate the integral of a *rational function* when:

- The degree of the numerator is less than that of the denominator.
- The denominator can be completely factored into linear and/or irreducible quadratic terms.

Partial Fractions Procedure:

- If the leading coefficient of the denominator is not a "1", factor it out.
- If the degree of the numerator is greater than that of the denominator, carry out long division first.
- Factor the denominator completely into linear and/or irreducible quadratic terms.
- For each linear term of the form $(x-a)^k$, you will have k partial fractions of the form:

$$\frac{A_1}{x-a} + \frac{A_2}{(x-a)^2} + \frac{A_3}{(x-a)^3} + \dots + \frac{A_k}{(x-a)^k}$$

(note: if $k=1$, there is only one fraction, etc.)

- For each irreducible quadratic term of the form $(x^2+bx+c)^m$, you will have m partial fractions of the form:

$$\frac{A_1x+B_1}{x^2+bx+c} + \frac{A_2x+B_2}{(x^2+bx+c)^2} + \frac{A_3x+B_3}{(x^2+bx+c)^3} + \dots + \frac{A_mx+B_m}{(x^2+bx+c)^m}$$

(note: if $m=1$, there is only one fraction, etc.)

- Solve for all the constants A_i and B_i . To solve:
 - Multiply everything by the common denominator.
 - Combine all like terms, then solve equations for all the A_i and B_i terms; OR plug in values to find equations for A_i and B_i terms.
- Integrate using all the integration methods we have learned.

$$\int \frac{x^2 - 1}{x(x^2 + 1)^2} dx$$

$$\int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{\sin \vartheta}{\cos^3 \vartheta + \cos \vartheta - 2} d\vartheta$$

Math 1552

Section 4.5 L'Hopital's Rule



4	Jan 5 Section 8.3: Powers of Trig Functions	Jan 6 WS 8.2 WS 8.3	Jan 7 Review for Test 1	Jan 8 Test #1 (4.8, 5.1-5.6, 8.3-8.3)	Jan 9 Section 8.4: Trigonometric Substitution
5	Jan 12 Section 8.5: Partial fractions	Jan 13 WS 8.4 WS 8.5	Jan 14 Section 8.8: Improper Integrals	Jan 15 WS 8.5, 4.5 Quiz #3 (8.4-8.5)	Jan 16 Section 10.1: Sequences
6	Jan 19 NO CLASS June 20th	Jan 20 WS 8.8 WS 10.1	Jan 21 Section 10.2: Infinite Series	Jan 22 WS 10.1 cont. Quiz #4 (4.5, 8.8, 10.1)	Jan 23 Section 10.3: Integral Test
7	Jan 26 Section 10.4: Comparison Tests	Jan 27 WS 10.2 WS 10.3	Jan 28 Section 10.5: Ratio and Root Tests	Jan 29 Test #2 (8.4-8.5, 4.5, 8.8, 10.1-10.3)	Jan 30 Section 10.5: cont. Section 10.6: Alternating Series

$$\lim_{x \rightarrow \infty} \frac{e^x + x^2}{e^x + x}$$

$$\lim_{x \rightarrow 0^+} (\sin(x) \cdot \ln(x))$$

Today's Learning Goals

- Understand which forms are indeterminate
- Apply L'Hopital's Rule to evaluate limits
- Rewrite limits in forms appropriate to applying L'Hopital's Rule

Indeterminate Forms

$$\frac{0}{0}, \frac{\infty}{\infty}$$

$$1^\infty, 0^0, \infty^0$$

$$0 \cdot \infty, \infty - \infty$$

Which of the following limits does NOT contain an indeterminate form?

- $\lim_{x \rightarrow \infty} (x+1)^{1/x}$
- $\lim_{x \rightarrow 0^+} x^{6/x}$
- $\lim_{x \rightarrow \infty} x^2 e^{-x}$
- $\lim_{x \rightarrow 0^+} (\cos x)^{1/x}$

L'Hopital's Rule

Let f and g be two functions. Then IF:

- f and g are differentiable,
- $\frac{f(x)}{g(x)}$ has the indeterminate form of $\frac{0}{0}$ OR $\frac{\infty}{\infty}$
- $\lim_{x \rightarrow c} \frac{f'(x)}{g'(x)} = L$

THEN:
$$\lim_{x \rightarrow c} \frac{f(x)}{g(x)} = \lim_{x \rightarrow c} \frac{f'(x)}{g'(x)} = L$$

Evaluate the limit:

$$\lim_{x \rightarrow 0} \frac{3^x - 1}{4^x - 1}$$

- A. 0
- B. 1
- C. $\ln(3/4)$
- D. $(\ln 3)/(\ln 4)$

Use L'Hopital's rule and logarithms to evaluate the following limits.

Logarithm rule: $\lim_{x \rightarrow a} f(x) = \lim_{x \rightarrow a} e^{\ln(f(x))} = e^{\lim_{x \rightarrow a} \ln(f(x))}$

$$\lim_{x \rightarrow 0^+} x^{\frac{1}{\ln(5x)}}$$

$$\lim_{x \rightarrow \infty} \left(1 + \frac{a}{x}\right)^x$$

Evaluate the limit:

$$\lim_{x \rightarrow 0^+} (1 + 2x)^{\frac{1}{x}}$$

- A. e^2
- B. $e^{1/2}$
- C. 1
- D. Infinity

Some Common Limits

1) If $x > 0$, then $\lim_{n \rightarrow \infty} x^{1/n} = 1$.

2) If $|x| < 1$, then $\lim_{n \rightarrow \infty} x^n = 0$.

3) If $\alpha > 0$, then $\lim_{n \rightarrow \infty} \frac{1}{n^\alpha} = 0$.

4) $\lim_{n \rightarrow \infty} \frac{x^n}{n!} = 0$ 5) $\lim_{n \rightarrow \infty} \frac{\ln(n)}{n} = 0$

6) $\lim_{n \rightarrow \infty} \left(1 + \frac{x}{n}\right)^n = e^x$ 7) $\lim_{n \rightarrow \infty} n^{1/n} = 1$

Section 4.5: 25, 42, 51, 60 (extra practice: 13, 15, 42, 57, 63)

EXERCISES 4.5

Finding Limits in Two Ways

In Exercises 1–6, use l'Hôpital's Rule to evaluate the limit. Then evaluate the limit using a method studied in Chapter 2.

- $\lim_{x \rightarrow 2} \frac{x+2}{2x^2-4}$
- $\lim_{t \rightarrow 0} \frac{\sin 5x}{x}$
- $\lim_{x \rightarrow \infty} \frac{5x^2-3x}{7x^2+1}$
- $\lim_{x \rightarrow -1} \frac{x^3-1}{4x^3-x-3}$
- $\lim_{x \rightarrow 0} \frac{1-\cos x}{x^2}$
- $\lim_{x \rightarrow \infty} \frac{2x^2+3x}{x^3+x+1}$

Applying l'Hôpital's Rule

Use l'Hôpital's rule to find the limits in Exercises 7–50.

- $\lim_{x \rightarrow 2} \frac{x-2}{x^2-2x-4}$
- $\lim_{x \rightarrow -5} \frac{x^2-25}{x+5}$
- $\lim_{t \rightarrow -3} \frac{t^3-4t+15}{t^2-t-12}$
- $\lim_{x \rightarrow \infty} \frac{5x^2-2x}{7x^2+3}$
- $\lim_{t \rightarrow 0} \frac{\sin t^2}{t}$
- $\lim_{x \rightarrow 0} \frac{8x^2}{x \cos x - 1}$
- $\lim_{\theta \rightarrow \pi/2} \frac{2\theta - \pi}{\cos(2\pi - \theta)}$
- $\lim_{\theta \rightarrow \pi/2} \frac{1 - \sin \theta}{1 + \cos \theta}$
- $\lim_{x \rightarrow 0} \frac{x^2}{\ln(\sec x)}$
- $\lim_{t \rightarrow 0} \frac{t(1 - \cos t)}{t - \sin t}$
- $\lim_{x \rightarrow (\pi/2)^-} \left(x - \frac{\pi}{2}\right) \sec x$
- $\lim_{\theta \rightarrow 0} \frac{3 \sin \theta - 1}{\theta}$
- $\lim_{x \rightarrow 2} \frac{x2^x}{x^2 - 1}$
- $\lim_{x \rightarrow \infty} \frac{\ln(x+1)}{\log_2 x}$
- $\lim_{x \rightarrow 0^+} \frac{\ln(x^2+2x)}{\ln x}$
- $\lim_{y \rightarrow 0} \frac{\sqrt{5y+25}-5}{y}$
- $\lim_{x \rightarrow \infty} (\ln 2x - \ln(x+1))$
- $\lim_{x \rightarrow 0^+} \frac{(\ln x)^2}{x \ln(\sin x)}$
- $\lim_{x \rightarrow 1^+} \left(\frac{1}{x-1} - \frac{1}{\ln x}\right)$
- $\lim_{t \rightarrow 0} \frac{\cos \theta - 1}{\theta - \theta - 1}$
- $\lim_{t \rightarrow 0} \frac{e^t + t^2}{e^t - t}$
- $\lim_{x \rightarrow 0} \frac{x - \sin x}{x \tan x}$
- $\lim_{\theta \rightarrow 0} \frac{\theta - \sin \theta \cos \theta}{\tan \theta - \theta}$
- $\lim_{x \rightarrow 0^+} x^{1/(x-1)}$
- $\lim_{x \rightarrow \infty} (\ln x)^{1/x}$
- $\lim_{x \rightarrow 0^+} x^{-1/\ln x}$
- $\lim_{x \rightarrow \infty} (1+2x)^{1/(2 \ln x)}$
- $\lim_{x \rightarrow 0^+} x^x$
- $\lim_{x \rightarrow \infty} \left(\frac{x+2}{x-1}\right)^x$
- $\lim_{x \rightarrow 0^+} x^2 \ln x$
- $\lim_{x \rightarrow 0^+} x \tan\left(\frac{\pi}{2} - x\right)$
- $\lim_{x \rightarrow \infty} \frac{\sqrt{9x+1}}{\sqrt{x+1}}$
- $\lim_{x \rightarrow (\pi/2)^-} \frac{\sec x}{\tan x}$
- $\lim_{x \rightarrow \infty} \frac{2^x - 3^x}{3^x + 4^x}$
- $\lim_{x \rightarrow \infty} \frac{e^{2x}}{x e^x}$
- $\lim_{x \rightarrow 3} \frac{x-3}{x^2-3} = \lim_{x \rightarrow 3} \frac{1}{2x} = \frac{1}{6}$
- $\lim_{x \rightarrow 3} \frac{x-3}{x^2-3} = \lim_{x \rightarrow 3} \frac{x-3}{x^2-3} = \frac{0}{6} = 0$

Indeterminate Powers and Products

Find the limits in Exercises 51–66.

- $\lim_{x \rightarrow 0^+} x^{1/(x-1)}$
- $\lim_{x \rightarrow \infty} x^{1/(x-1)}$
- $\lim_{x \rightarrow \infty} (\ln x)^{1/x}$
- $\lim_{x \rightarrow 0^+} x^{-1/\ln x}$
- $\lim_{x \rightarrow \infty} (1+2x)^{1/(2 \ln x)}$
- $\lim_{x \rightarrow 0^+} x^x$
- $\lim_{x \rightarrow \infty} \left(\frac{x+2}{x-1}\right)^x$
- $\lim_{x \rightarrow 0^+} x^2 \ln x$
- $\lim_{x \rightarrow 0^+} x \tan\left(\frac{\pi}{2} - x\right)$
- $\lim_{x \rightarrow 0^+} x^{1/(x-1)}$
- $\lim_{x \rightarrow \infty} (\ln x)^{1/x}$
- $\lim_{x \rightarrow 0^+} x^{-1/\ln x}$
- $\lim_{x \rightarrow \infty} (1+2x)^{1/(2 \ln x)}$
- $\lim_{x \rightarrow 0^+} x^x$
- $\lim_{x \rightarrow \infty} \left(\frac{x+2}{x-1}\right)^x$
- $\lim_{x \rightarrow 0^+} x^2 \ln x$
- $\lim_{x \rightarrow 0^+} x \tan\left(\frac{\pi}{2} - x\right)$

Theory and Applications

L'Hôpital's Rule does not help with the limits in Exercises 67–74. Try it—you just keep on cycling. Find the limits some other way.

- $\lim_{x \rightarrow \infty} \frac{\sqrt{9x+1}}{\sqrt{x+1}}$
- $\lim_{x \rightarrow 0^+} \frac{\sqrt{x}}{\sqrt{\sin x}}$
- $\lim_{x \rightarrow (\pi/2)^-} \frac{\sec x}{\tan x}$
- $\lim_{x \rightarrow 0^+} \frac{\cot x}{\csc x}$
- $\lim_{x \rightarrow \infty} \frac{2^x - 3^x}{3^x + 4^x}$
- $\lim_{x \rightarrow \infty} \frac{2^x + 4^x}{5^x - 2^x}$
- $\lim_{x \rightarrow \infty} \frac{x}{x e^{1/x}}$
- Which one is correct, and which one is wrong? Give reasons for your answers.
 - $\lim_{x \rightarrow 3} \frac{x-3}{x^2-3} = \lim_{x \rightarrow 3} \frac{1}{2x} = \frac{1}{6}$
 - $\lim_{x \rightarrow 3} \frac{x-3}{x^2-3} = \frac{0}{6} = 0$
- Which one is correct, and which one is wrong? Give reasons for your answers.
 - $\lim_{x \rightarrow 0} \frac{x^2-2x}{x^2-\sin x} = \lim_{x \rightarrow 0} \frac{2x-2}{2x-\cos x} = \lim_{x \rightarrow 0} \frac{2}{2+\sin x} = \frac{2}{2+0} = 1$
 - $\lim_{x \rightarrow 0} \frac{x^2-2x}{x^2-\sin x} = \lim_{x \rightarrow 0} \frac{2x-2}{2x-\cos x} = \frac{-2}{0-1} = 2$

EXERCISES 8.5

Expanding Quotients into Partial Fractions

Expand the quotients in Exercises 1–8 by partial fractions.

1. $\frac{5x - 13}{(x - 3)(x - 2)}$

2. $\frac{5x - 7}{x^2 - 3x + 2}$

3. $\frac{x + 4}{(x + 1)^2}$

4. $\frac{2x + 2}{x^2 - 2x + 1}$

5. $\frac{z + 1}{z^2(z - 1)}$

6. $\frac{z}{z^3 - z^2 - 6z}$

7. $\frac{t^2 + 8}{t^2 - 5t + 6}$

8. $\frac{t^4 + 9}{t^4 + 9t^2}$

Nonrepeated Linear Factors

In Exercises 9–16, express the integrand as a sum of partial fractions and evaluate the integrals.

9. $\int \frac{dx}{1 - x^2}$

10. $\int \frac{dx}{x^2 + 2x}$

11. $\int \frac{x + 4}{x^2 + 5x - 6} dx$

12. $\int \frac{2x + 1}{x^2 - 7x + 12} dx$

13. $\int_4^8 \frac{y dy}{y^2 - 2y - 3}$

14. $\int_{1/2}^1 \frac{y + 4}{y^2 + y} dy$

15. $\int \frac{dt}{t^3 + t^2 - 2t}$

16. $\int \frac{x + 3}{2x^3 - 8x} dx$

Repeated Linear Factors

In Exercises 17–20, express the integrand as a sum of partial fractions and evaluate the integrals.

17. $\int_0^1 \frac{x^2 dx}{x^2 + 2x + 1}$

18. $\int_{-1}^0 \frac{x^3 dx}{x^2 - 2x + 1}$

19. $\int \frac{dx}{(x^2 - 1)^2}$

20. $\int \frac{x^2 dx}{(x - 1)(x^2 + 2x + 1)}$

Irreducible Quadratic Factors

In Exercises 21–32, express the integrand as a sum of partial fractions and evaluate the integrals.

21. $\int_0^1 \frac{dx}{(x + 1)(x^2 + 1)}$

22. $\int_1^{\sqrt{3}} \frac{3t^2 + t + 4}{t^3 + t} dt$

23. $\int \frac{y^2 + 2y + 1}{(y^2 + 1)^2} dy$

24. $\int \frac{8x^2 + 8x + 2}{(4x^2 + 1)^2} dx$

25. $\int \frac{2x + 2}{(x^2 + 1)(x - 1)^2} dx$

26. $\int \frac{x^4 + 81}{x(x^2 + 9)^2} dx$

27. $\int \frac{x^2 - x + 2}{x^2 - 1} dx$

28. $\int \frac{1}{x^4 + x} dx$

29. $\int \frac{x^2}{x^4 - 1} dx$

30. $\int \frac{x^2 + x}{x^4 - 3x^2 - 4} dx$

31. $\int \frac{2\theta^3 + 5\theta^2 + 8\theta + 4}{(\theta^2 + 2\theta + 2)^2} d\theta$

32. $\int \frac{\theta^4 - 4\theta^3 + 2\theta^2 - 3\theta + 1}{(\theta^2 + 1)^3} d\theta$

492 Chapter 8 Techniques of Integration

Improper Fractions

In Exercises 33–38, perform long division on the integrand, write the proper fraction as a sum of partial fractions, and then evaluate the integral.

33. $\int \frac{2x^3 - 2x^2 + 1}{x^2 - x} dx$

34. $\int \frac{x^4}{x^2 - 1} dx$

35. $\int \frac{9x^3 - 3x + 1}{x^3 - x^2} dx$

36. $\int \frac{16x^3}{4x^2 - 4x + 1} dx$

37. $\int \frac{y^4 + y^2 - 1}{y^3 + y} dy$

38. $\int \frac{2y^4}{y^3 - y^2 + y - 1} dy$

Evaluating Integrals

Evaluate the integrals in Exercises 39–54.

39. $\int \frac{e^x dx}{e^2 + 3e^x + 2}$

40. $\int \frac{e^{2x} + 2e^{2x} - e^x}{e^{2x} + 1} dx$

41. $\int \frac{\cos y dy}{\sin^2 y + \sin y - 6}$

42. $\int \frac{\sin \theta d\theta}{\cos^2 \theta + \cos \theta - 2}$

43. $\int \frac{(x - 2)^2 \tan^{-1}(2x) - 12x^3 - 3x}{(4x^2 + 1)(x - 2)^2} dx$

44. $\int \frac{(x + 1)^2 \tan^{-1}(3x) + 9x^3 + x}{(9x^2 + 1)(x + 1)^2} dx$

45. $\int \frac{1}{x^{3/2} - \sqrt{x}} dx$

46. $\int \frac{1}{(x^{1/3} - 1)\sqrt{x}} dx$
(Hint: Let $x = u^6$.)

47. $\int \frac{\sqrt{x+1}}{x} dx$

48. $\int \frac{1}{x\sqrt{x+9}} dx$
(Hint: Let $x + 1 = u^2$.)

49. $\int \frac{1}{x(x^4 + 1)} dx$

50. $\int \frac{1}{x^6(x^3 + 4)} dx$
(Hint: Multiply by $\frac{x^3}{x^3}$.)

51. $\int \frac{1}{\cos 2\theta \sin \theta} d\theta$

52. $\int \frac{1}{\cos \theta + \sin 2\theta} d\theta$

53. $\int \frac{\sqrt{1+\sqrt{x}}}{x} dx$

54. $\int \frac{\sqrt{x}}{\sqrt{2-\sqrt{x}} + \sqrt{x}} dx$

Use any method to evaluate the integrals in Exercises 55–66.

55. $\int \frac{x^3 - 2x^2 - 3x}{x + 2} dx$

56. $\int \frac{x + 2}{x^3 - 2x^2 - 3x} dx$

57. $\int \frac{2^x - 2^{-x}}{2^x + 2^{-x}} dx$

58. $\int \frac{2^x}{2^{2x} + 2^x - 2} dx$

59. $\int \frac{1}{x} dx$

60. $\int \frac{x^4 - 1}{x^5 - 5x + 1} dx$

61. $\int \frac{\ln x + 2}{x(\ln x + 1)(\ln x + 3)} dx$

62. $\int \frac{2}{x(\ln x - 2)^2} dx$

63. $\int \frac{1}{\sqrt{x^2 - 1}} dx$

64. $\int \frac{x}{x + \sqrt{x^2 + 2}} dx$

65. $\int x^2 \sqrt{x^2 + 1} dx$

66. $\int x^2 \sqrt{1 - x^2} dx$

Initial Value Problems

Solve the initial value problems in Exercises 67–70 for x as a function of t .

67. $(t^2 - 3t + 2) \frac{dx}{dt} = 1$ ($t > 2$), $x(3) = 0$



68. $(3t^4 + 4t^2 + 1) \frac{dx}{dt} = 2\sqrt{3}$, $x(1) = -\pi\sqrt{3}/4$

69. $(t^2 + 2t) \frac{dx}{dt} = 2x + 2$ ($t, x > 0$), $x(1) = 1$

70. $(t + 1) \frac{dx}{dt} = x^2 + 1$ ($t > -1$), $x(0) = 0$

Applications and Examples

In Exercises 71 and 72, find the volume of the solid generated by revolving the shaded region about the indicated axis.

71. The x -axis72. The y -axis73. Find the length of the curve $y = \ln(1 - x^2)$, $0 \leq x \leq \frac{1}{2}$.74. Integrate $\int \sec \theta d\theta$ bya. multiplying by $\frac{\sec \theta + \tan \theta}{\sec \theta + \tan \theta}$ and then using a u -substitution.b. writing the integral as $\int \frac{1}{\cos \theta} d\theta$. Then multiply by $\frac{\cos \theta}{\cos \theta}$.use a trigonometric identity and a u -substitution, and finally integrate using partial fractions.

Math 1552

Section 8.8 Improper Integrals




4	Jun 5 Section 8.3: Powers of Trig Functions	Jun 6 WS 8.2 WS 8.3	Jun 7 Review for Test 1	Jun 8 Test #1 (4.8, 5.1-5.6, 8.2-8.3)	Jun 9 Section 8.4: Trigonometric Substitution
5	Jun 12 Section 8.5: Partial fractions Section 4.5: L'Hopital's	Jun 13 WS 8.4 WS 8.5	Jun 14 Section 8.8: Improper Integrals	Jun 15 WS 8.5, 4.5 Quiz #3 (8.4-8.5)	Jun 16 Section 10.1: Sequences
6	Jun 19 NO CLASS June month	Jun 20 WS 8.8 WS 10.1	Jun 21 Section 10.2: Infinite Series	Jun 22 WS 10.1 cont. Quiz #4 (4.5, 8.8, 10.1)	Jun 23 Section 10.3: Integral Test
7	Jun 26 Section 10.4: Comparison Tests	WS 10.2 WS 10.3	Jun 27 Section 10.5: Ratio and Root Tests Review for Test 2	Jun 28 Jun 29 Test #2 (8.4-8.5, 4.5, 8.8, 10.1-10.3)	Jun 30 Section 10.5: cont. Section 10.6: Alternating Series

Ex. $\int_0^{\infty} x e^{-x} dx$

- Step 1: Replace ∞ with N & take limit.
 Step 2: Integrate definite integral on interval $[0, N]$

Geogebra w/ slider.

<https://www.geogebra.org/calculator/m4x9bh6a>




Example 2: Find the area

$$A = \int_2^{\infty} \frac{2}{x^2-1} dx$$

Step 1: $\int_2^{\infty} \frac{2}{x^2-1} dx = \lim_{N \rightarrow \infty} \int_2^N \frac{2}{x^2-1}$

horizontal asymptote




Step 2: Evaluate definite integral and write answer in terms of a function of N .

Step 3: take limit as $N \rightarrow \infty$

SIDE NOTE: "∞-∞" is not always 0.
For example

Example

$$\begin{aligned} \lim_{x \rightarrow +\infty} \sqrt{x^2-2} - x &= \lim_{x \rightarrow +\infty} \frac{(\sqrt{x^2-2}-x) \cdot (\sqrt{x^2-2}+x)}{\sqrt{x^2-2}+x} = \\ &= \lim_{x \rightarrow +\infty} \frac{x^2-2-x^2}{\sqrt{x^2-2}+x} = \lim_{x \rightarrow +\infty} \frac{-2}{\sqrt{x^2-2}+x} = \\ &= \lim_{x \rightarrow +\infty} \frac{-2}{x^2+x} = \lim_{x \rightarrow +\infty} \frac{-2}{2x} = -\frac{1}{x} \end{aligned}$$



$$\int_{-\infty}^0 \frac{1}{1+x^2} dx$$

$$\int_{\frac{\pi}{2}}^{\pi} \tan(x) dx$$

$$\int_{-1}^{32} x^{-1/5} dx$$

Improper integrals

A definite integral is improper if:

- The function has a vertical asymptote at $x=a$, $x=b$, or at some point c in the interval (a,b) .
- One or both of the limits of integration are infinite (positive or negative infinity).

Which integral(s) is (are) improper?

$$1) \int_0^{\frac{\pi}{2}} \tan(2x) dx$$

$$2) \int_{-1}^1 \frac{x-3}{x^2-2x-3} dx$$

$$3) \int_0^{\frac{\pi}{2}} \cos(x) dx$$

$$4) \int_{\frac{1}{4}}^{\frac{1}{2}} \frac{x-2}{x^2-6x+8} dx$$

Convergence of an Integral

- If an improper integral evaluates to a **finite number**, we say it **converges**.
- If the integral evaluates to $\pm\infty$ or to, $\infty-\infty$, we say the integral **diverges**.

Section 8.8: 1, 4, 11, 21, 71 (extra practice: 7, 13, 15, 45)

EXERCISES 8.8

Evaluating Improper Integrals

The integrals in Exercises 1–34 converge. Evaluate the integrals without using tables.

1. $\int_0^{\infty} \frac{dx}{x^2 + 1}$

2. $\int_1^{\infty} \frac{dx}{x^{1.001}}$

3. $\int_0^1 \frac{dx}{\sqrt{x}}$

4. $\int_4^{\infty} \frac{dx}{\sqrt{4-x}}$

5. $\int_{-1}^1 \frac{dx}{x^{2/3}}$

6. $\int_{-8}^1 \frac{dx}{x^{1/3}}$

7. $\int_0^1 \frac{dx}{\sqrt{1-x^2}}$

8. $\int_0^1 \frac{dr}{r^{0.999}}$

9. $\int_{-\infty}^{-2} \frac{2 dx}{x^2 - 1}$

10. $\int_{-\infty}^2 \frac{2 dx}{x^2 + 4}$

11. $\int_2^{\infty} \frac{2}{v^2 - v} dv$

12. $\int_2^{\infty} \frac{2 dt}{t^2 - 1}$

13. $\int_{-\infty}^{\infty} \frac{2x dx}{(x^2 + 1)^2}$

14. $\int_{-\infty}^{\infty} \frac{x dx}{(x^2 + 4)^{3/2}}$

15. $\int_0^1 \frac{\theta + 1}{\sqrt{\theta^2 + 2\theta}} d\theta$

16. $\int_0^2 \frac{s + 1}{\sqrt{4 - s^2}} ds$

17. $\int_0^{\infty} \frac{dx}{(1+x)\sqrt{x}}$

18. $\int_1^{\infty} \frac{1}{x\sqrt{x^2 - 1}} dx$

19. $\int_0^{\infty} \frac{dv}{(1+v^2)(1+\tan^{-1} v)}$

20. $\int_0^{\infty} \frac{16 \tan^{-1} x}{1+x^2} dx$

21. $\int_{-\infty}^0 \theta e^{\theta} d\theta$

22. $\int_0^{\infty} 2e^{-\theta} \sin \theta d\theta$

23. $\int_{-\infty}^0 e^{-|t|} dx$

24. $\int_{-\infty}^{\infty} 2xe^{-x^2} dx$

25. $\int_0^1 x \ln x dx$

26. $\int_0^1 (-\ln x) dx$

27. $\int^2 \frac{ds}{\sqrt{4-s}}$

28. $\int^1 \frac{4r dr}{\sqrt{1-r^4}}$

27. $\int_0^2 \frac{ds}{\sqrt{4-s^2}}$

28. $\int_0^1 \frac{4r dr}{\sqrt{1-r^4}}$

29. $\int_1^2 \frac{ds}{s\sqrt{s^2-1}}$

30. $\int_2^4 \frac{dt}{t\sqrt{t^2-4}}$

31. $\int_{-1}^4 \frac{dx}{\sqrt{|x|}}$

32. $\int_0^2 \frac{dx}{\sqrt{|x-1|}}$

33. $\int_{-1}^{\infty} \frac{d\theta}{\theta^2 + 5\theta + 6}$

34. $\int_0^{\infty} \frac{dx}{(x+1)(x^2+1)}$

35. $\int_{1/2}^2 \frac{dx}{x \ln x}$

36. $\int_{-1}^1 \frac{d\theta}{\theta^2 - 2\theta}$

37. $\int_{1/2}^{\infty} \frac{dx}{x(\ln x)^3}$

38. $\int_0^{\infty} \frac{d\theta}{\theta^2 - 1}$

39. $\int_0^{\pi/2} \tan \theta d\theta$

40. $\int_0^{\pi/2} \cot \theta d\theta$

41. $\int_0^1 \frac{\ln x}{x^2} dx$

42. $\int_1^2 \frac{dx}{x \ln x}$

43. $\int_0^{\ln 2} x^{-2} e^{-1/x} dx$

44. $\int_1^e \frac{e^{-\sqrt{x}}}{\sqrt{x}} dx$

45. $\int_0^{\pi} \frac{dt}{\sqrt{t} + \sin t}$

46. $\int_0^1 \frac{dt}{t - \sin t}$ (Hint: $t \geq \sin t$ for $t \geq 0$)

47. $\int_0^2 \frac{dx}{1-x^2}$

48. $\int_0^2 \frac{dx}{1-x}$

49. $\int_{-1}^1 \ln |x| dx$

50. $\int_{-1}^1 -x \ln |x| dx$

51. $\int_1^{\infty} \frac{dx}{x^3 + 1}$

52. $\int_4^{\infty} \frac{dx}{\sqrt{x} - 1}$

53. $\int_2^{\infty} \frac{dv}{\sqrt{v-1}}$

54. $\int_0^{\infty} \frac{d\theta}{1+e^{\theta}}$

55. $\int_0^{\infty} \frac{dx}{\sqrt{x^6+1}}$

56. $\int_2^{\infty} \frac{dx}{\sqrt{x^2-1}}$

57. $\int_1^{\infty} \frac{\sqrt{x+1}}{x^2} dx$

58. $\int_2^{\infty} \frac{x dx}{\sqrt{x^4-1}}$

59. $\int_{\pi}^{\infty} \frac{2 + \cos x}{x} dx$

60. $\int_{\pi}^{\infty} \frac{1 + \sin x}{x^2} dx$

61. $\int_4^{\infty} \frac{2 dt}{t^{3/2} - 1}$

62. $\int_2^{\infty} \frac{1}{\ln x} dx$

63. $\int_1^{\infty} \frac{e^x}{x} dx$

64. $\int_e^{\infty} \ln(\ln x) dx$

65. $\int_1^{\infty} \frac{1}{\sqrt{e^x - x}} dx$

66. $\int_1^{\infty} \frac{1}{e^x - 2^x} dx$

67. $\int_{-\infty}^{\infty} \frac{dx}{\sqrt{x^4+1}}$

68. $\int_{-\infty}^{\infty} \frac{dx}{e^x + e^{-x}}$

Theory and Examples


69. Find the values of p for which each integral converges.

a. $\int_1^2 \frac{dx}{x(\ln x)^p}$

b. $\int_2^{\infty} \frac{dx}{x(\ln x)^p}$

Testing for Convergence

In Exercises 35–68, use integration, the Direct Comparison Test, or the Limit Comparison Test to test the integrals for convergence. If more than one method applies, use whatever method you prefer.



Math 1552

Sections 10.1:
Sequences

4	Jun 5 Section 8.3: Powers of Trig Functions	Jun 6 WS 8.2 WS 8.3	Jun 7 Review for Test 1	Jun 8 Test #1 (4.8, 5.1-5.6, 8.2-8.9)	Jun 9 Section 8.4: Trigonometric Substitution
5	Jun 12 Section 8.5: Partial fractions Section 4.5: L'Hopital's	Jun 13 WS 8.4 WS 8.5	Jun 14 Section 8.8: Improper Integrals	Jun 15 WS 8.5, 4.5 Quiz #3 (8.4-8.5)	Jun 16 Section 10.1: Sequences
6	Jun 19 NO CLASS <small>June recess</small>	Jun 20 WS 8.8 WS 10.1	Jun 21 Section 10.2: Infinite Series	Jun 22 WS 10.1 cont. Quiz #4 (4.5, 8.8, 10.1)	Jun 23 Section 10.3: Integral Test
7	Jun 26 Section 10.4: Comparison Tests	Jun 27 WS 10.2 WS 10.3	Jun 28 Section 10.5: Ratio and Root Tests Review for Test 2	Jun 29 Test #2 (8.4-8.5, 4.5, 8.8, 10.1-10.3)	Jun 30 Section 10.5: cont. Section 10.6: Alternating Series

Today's Learning Goals

- Use proper notation to denote a sequence.
- Understand how to find lower and upper bounds for sequences.
- Determine if a sequence is monotonic.
- Find limits of sequences when possible.

Ex. Find a formula for the sequence and determine the limit.

(a) $\frac{1}{2}, \frac{2}{3}, \frac{3}{4}, \frac{4}{5}, \frac{5}{6}, \dots$

(b) $\frac{\ln(2)}{3}, -\frac{\ln(3)}{5}, \frac{\ln(4)}{7}, \frac{\ln(5)}{9}, \dots$

(c) $1, \frac{2}{\sqrt{3}}, \frac{3}{\sqrt{4}}, \frac{4}{\sqrt{5}}, \frac{5}{\sqrt{6}}, \dots$

Write the general term of the sequence below.

$$\frac{2}{3}, \frac{3}{4}, \frac{4}{5}, \frac{5}{6}, \dots$$

A) $a_n = \frac{(-1)^n n}{n+1}$

B) $a_n = \frac{(-1)^{n+1} n}{n+1}$

C) $a_n = \frac{(-1)^n (n+1)}{n+2}$

D) $a_n = \frac{(-1)^{n+1} (n+1)}{n+2}$

Ex. Find the limit

$$(a) \lim_{n \rightarrow \infty} \frac{4 - 7n^2}{n^6 + 3}$$

$$(b) \lim_{n \rightarrow \infty} \left(\frac{n+1}{n-1} \right)^n$$

Example:

Determine whether or not the sequence converges. If so, find the limit.

$$\left\{ \frac{n^2}{n+1} \right\}$$

$$\{(-1)^n\}$$

$$\left\{ (-1)^n \frac{1}{2^n} \right\}$$

$$\left\{ \frac{2^n}{n!} \right\}$$

Find the limit, if it exists.

$$\left\{ \frac{2n+1}{1-3n} \right\}$$

- A. 0
- B. -2/3
- C. 2/3
- D. Diverges

Some Common Limits

- 1) If $x > 0$, then $\lim_{n \rightarrow \infty} x^{1/n} = 1$.
- 2) If $|x| < 1$, then $\lim_{n \rightarrow \infty} x^n = 0$.
- 3) If $\alpha > 0$, then $\lim_{n \rightarrow \infty} \frac{1}{n^\alpha} = 0$.
- 4) $\lim_{n \rightarrow \infty} \frac{x^n}{n!} = 0$
- 5) $\lim_{n \rightarrow \infty} \frac{\ln(n)}{n} = 0$
- 6) $\lim_{n \rightarrow \infty} \left(1 + \frac{x}{n} \right)^n = e^x$
- 7) $\lim_{n \rightarrow \infty} n^{1/n} = 1$

Ex. Determine if the sequence is monotone.

(a) $a_n = \frac{3n+1}{n+1}$

(b) $a_n = \frac{2^n}{n!}$

LUB and GLB

- An *upper bound* of a set S is a number M that is greater than or equal to each element in S .
- The smallest possible upper bound is called the *least upper bound* (l.u.b.).
- A *lower bound* of a set S is a number m that is less than or equal to each element in S .
- The largest possible lower bound is called the *greatest lower bound* (g.l.b.).

Find the l.u.b. and g.l.b. of the sequence:

$$\left\{ \frac{n+1}{n} \right\}$$

- A. l.u.b.=1, g.l.b.=0
- B. l.u.b.=2, g.l.b.=0
- C. l.u.b.=2, g.l.b.=1
- D. No l.u.b., g.l.b.=0

Monotone Sequences

A sequence is called *monotonic* if one of the following statements hold:

- (i) $a_n < a_{n+1}$ for all n (strictly increasing)
- (ii) $a_n \leq a_{n+1}$ for all n (monotonically increasing)
- (iii) $a_n > a_{n+1}$ for all n (strictly decreasing)
- (iv) $a_n \geq a_{n+1}$ for all n (monotonically decreasing)

Convergence Theorem

If a sequence $\{a_n\}$ is *monotonic* and *bounded*, then it converges.

If the sequence is increasing, then $L = \text{l.u.b.}$

If the sequence is decreasing, then $L = \text{g.l.b.}$

EXERCISES 10.1

Finding Terms of a Sequence

Each of Exercises 1–6 gives a formula for the n th term a_n of a sequence $\{a_n\}$. Find the values of a_1, a_2, a_3 , and a_4 .

1. $a_n = \frac{1-n}{n^2}$

2. $a_n = \frac{1}{n!}$

3. $a_n = \frac{(-1)^{n+1}}{2n-1}$

4. $a_n = 2 + (-1)^n$

9. $a_1 = 2, a_{n+1} = (-1)^{n+1}a_n/2$

10. $a_1 = -2, a_{n+1} = na_n/(n+1)$

11. $a_1 = a_2 = 1, a_{n+2} = a_{n+1} + a_n$

12. $a_1 = 2, a_2 = -1, a_{n+2} = a_{n+1}/a_n$

Finding a Sequence's Formula

In Exercises 13–30, find a formula for the n th term of the sequence.

13. 1, -1, 1, -1, 1, ...

1's with alternating signs

14. -1, 1, -1, 1, -1, ...

1's with alternating signs

15. 1, -4, 9, -16, 25, ...

Squares of the positive integers, with alternating signs

16. $1, -\frac{1}{4}, \frac{1}{9}, -\frac{1}{16}, \frac{1}{25}, \dots$

Reciprocals of squares of the positive integers, with alternating signs

17. $\frac{1}{9}, \frac{2}{12}, \frac{2^2}{15}, \frac{2^3}{18}, \frac{2^4}{21}, \dots$

Powers of 2 divided by multiples of 3

18. $-\frac{3}{2}, -\frac{1}{6}, \frac{1}{12}, \frac{3}{20}, \frac{5}{30}, \dots$

Integers differing by 2 divided by products of consecutive integers

19. 0, 3, 8, 15, 24, ...

Squares of the positive integers diminished by 1

20. -3, -2, -1, 0, 1, ...

Integers, beginning with -3

21. 1, 5, 9, 13, 17, ...

Every other odd positive integer

22. 2, 6, 10, 14, 18, ...

Every other even positive integer

23. $\frac{5}{1}, \frac{8}{2}, \frac{11}{6}, \frac{14}{24}, \frac{17}{120}, \dots$

Integers differing by 3 divided by factorials

24. $\frac{1}{25}, \frac{8}{125}, \frac{27}{625}, \frac{64}{3125}, \frac{125}{15625}, \dots$

Cubes of positive integers divided by powers of 5

25. 1, 0, 1, 0, 1, ...

Alternating 1's and 0's

26. 0, 1, 1, 2, 2, 3, 3, 4, ...

Each positive integer repeated

27. $\frac{1}{2} - \frac{1}{3}, \frac{1}{3} - \frac{1}{4}, \frac{1}{4} - \frac{1}{5}, \frac{1}{5} - \frac{1}{6}, \dots$

28. $\sqrt{5} - \sqrt{4}, \sqrt{6} - \sqrt{5}, \sqrt{7} - \sqrt{6}, \sqrt{8} - \sqrt{7}, \dots$

29. $\sin\left(\frac{\sqrt{2}}{1+4}\right), \sin\left(\frac{\sqrt{3}}{1+9}\right), \sin\left(\frac{\sqrt{4}}{1+16}\right), \sin\left(\frac{\sqrt{5}}{1+25}\right), \dots$

30. $\sqrt[5]{8}, \sqrt[7]{11}, \sqrt[9]{14}, \sqrt[11]{17}, \dots$

5. $a_n = \frac{2^n}{2^{n+1}}$

6. $a_n = \frac{2^n - 1}{2^n}$

Each of Exercises 7–12 gives the first term or two of a sequence along with a recursion formula for the remaining terms. Write out the first ten terms of the sequence.

7. $a_1 = 1, a_{n+1} = a_n + (1/2^n)$

8. $a_1 = 1, a_{n+1} = a_n/(n+1)$

41. $a_n = \left(\frac{n+1}{2n}\right)\left(1 - \frac{1}{n}\right)$

42. $a_n = \left(2 - \frac{1}{2^n}\right)\left(3 + \frac{1}{2^n}\right)$

43. $a_n = \frac{(-1)^{n+1}}{2n-1}$

44. $a_n = \left(-\frac{1}{2}\right)^n$

45. $a_n = \sqrt{\frac{2n}{n+1}}$

46. $a_n = \frac{1}{(0.9)^n}$

47. $a_n = \sin\left(\frac{\pi}{2} + \frac{1}{n}\right)$

48. $a_n = n\pi \cos(n\pi)$

49. $a_n = \frac{\sin n}{n}$

50. $a_n = \frac{\sin^2 n}{2^n}$

51. $a_n = \frac{n}{2^n}$

52. $a_n = \frac{3^n}{n^3}$

53. $a_n = \frac{\ln(n+1)}{\sqrt{n}}$

54. $a_n = \frac{\ln n}{\ln 2n}$

55. $a_n = 8^{1/n}$

56. $a_n = (0.03)^{1/n}$

57. $a_n = \left(1 + \frac{7}{n}\right)^n$

58. $a_n = \left(1 - \frac{1}{n}\right)^n$

59. $a_n = \sqrt[n]{10n}$

60. $a_n = \sqrt[n]{n^2}$

61. $a_n = \left(\frac{3}{n}\right)^{1/n}$

62. $a_n = (n+4)^{1/(n+4)}$

63. $a_n = \frac{\ln n}{n^{1/n}}$

64. $a_n = \ln n - \ln(n+1)$

65. $a_n = \sqrt[n]{4^n n}$

66. $a_n = \sqrt[n]{3^{2n+1}}$

67. $a_n = \frac{n!}{n^n}$ (Hint: Compare with $1/n$.)

68. $a_n = \frac{(-4)^n}{n!}$

69. $a_n = \frac{n!}{10^{6n}}$

70. $a_n = \frac{n!}{2^n \cdot 3^n}$

71. $a_n = \left(\frac{1}{n}\right)^{1/(\ln n)}$

72. $a_n = \frac{(n+1)!}{(n+3)!}$

73. $a_n = \frac{(2n+2)!}{(2n-1)!}$

74. $a_n = \frac{3e^n + e^{-n}}{e^n + 3e^{-n}}$

75. $a_n = \frac{e^{-2n} - 2e^{-3n}}{e^{-2n} - e^{-n}}$

76. $a_n = \left(1 - \frac{1}{2}\right) + \left(\frac{1}{2} - \frac{1}{3}\right) + \left(\frac{1}{3} - \frac{1}{4}\right) + \dots + \left(\frac{1}{n-2} - \frac{1}{n-1}\right) + \left(\frac{1}{n-1} - \frac{1}{n}\right)$

Section 10.1: 3, 17, 35, 41, 57, 129 (extra practice: 13, 19, 39, 93, 127, 133)

Convergence and Divergence

Which of the sequences $\{a_n\}$ in Exercises 31–100 converge, and which diverge? Find the limit of each convergent sequence.

31. $a_n = 2 + (0.1)^n$ 32. $a_n = \frac{n + (-1)^n}{n}$
33. $a_n = \frac{1 - 2n}{1 + 2n}$ 34. $a_n = \frac{2n + 1}{1 - 3\sqrt{n}}$
35. $a_n = \frac{1 - 5n^4}{n^4 + 8n^3}$ 36. $a_n = \frac{n + 3}{n^2 + 5n + 6}$
37. $a_n = \frac{n^2 - 2n + 1}{n - 1}$ 38. $a_n = \frac{1 - n^3}{70 - 4n^2}$
39. $a_n = 1 + (-1)^n$ 40. $a_n = (-1)^n \left(1 - \frac{1}{n}\right)$
77. $a_n = (\ln 3 - \ln 2) + (\ln 4 - \ln 3) + (\ln 5 - \ln 4) + \cdots$
 $+ (\ln(n-1) - \ln(n-2)) + (\ln n - \ln(n-1))$
78. $a_n = \ln\left(1 + \frac{1}{n}\right)^n$ 79. $a_n = \left(\frac{3n+1}{3n-1}\right)^n$
80. $a_n = \left(\frac{n}{n+1}\right)^n$ 81. $a_n = \left(\frac{x^n}{2n+1}\right)^{1/n}, \quad x > 0$
82. $a_n = \left(1 - \frac{1}{n^2}\right)^n$ 83. $a_n = \frac{3^n \cdot 6^n}{2^{-n} \cdot n!}$
84. $a_n = \frac{(10/11)^n}{(9/10)^n + (11/12)^n}$ 85. $a_n = \tanh n$
86. $a_n = \sinh(\ln n)$ 87. $a_n = \frac{n^2}{2n-1} \sin \frac{1}{n}$

588 Chapter 10 Infinite Sequences and Series

88. $a_n = n \left(1 - \cos \frac{1}{n}\right)$ 89. $a_n = \sqrt{n} \sin \frac{1}{\sqrt{n}}$
90. $a_n = (3^n + 5^n)^{1/n}$ 91. $a_n = \tan^{-1} n$
92. $a_n = \frac{1}{\sqrt{n}} \tan^{-1} n$ 93. $a_n = \left(\frac{1}{3}\right)^n + \frac{1}{\sqrt{2^n}}$
94. $a_n = \frac{n}{\sqrt{n^2 + n}}$ 95. $a_n = \frac{(\ln n)^{200}}{n}$
96. $a_n = \frac{(\ln n)^5}{\sqrt{n}}$ 97. $a_n = n - \sqrt{n^2 - n}$
98. $a_n = \frac{1}{\sqrt{n^2 - 1} - \sqrt{n^2 + n}}$
99. $a_n = \frac{1}{n} \int_1^n \frac{1}{x} dx$ 100. $a_n = \int_1^n \frac{1}{x^p} dx, \quad p > 1$

In Exercises 121–124, determine if the sequence is monotonic and if it is bounded.

121. $a_n = \frac{3n+1}{n+1}$ 122. $a_n = \frac{(2n+3)!}{(n+1)!}$
123. $a_n = \frac{2^n 3^n}{n!}$ 124. $a_n = 2 - \frac{2}{n} - \frac{1}{2^n}$

Which of the sequences in Exercises 125–134 converge, and which diverge? Give reasons for your answers.

125. $a_n = 1 - \frac{1}{n}$ 126. $a_n = n - \frac{1}{n}$
127. $a_n = \frac{2^n - 1}{2^n}$ 128. $a_n = \frac{2^n - 1}{3^n}$
129. $a_n = ((-1)^n + 1) \left(\frac{n+1}{n}\right)$
130. The first term of a sequence is $x_1 = \cos(1)$. The next terms are $x_2 = x_1$ or $\cos(2)$, whichever is larger; and $x_3 = x_2$ or $\cos(3)$, whichever is larger (farther to the right). In general,
 $x_{n+1} = \max\{x_n, \cos(n+1)\}$.
131. $a_n = \frac{1 + \sqrt{2n}}{\sqrt{n}}$ 132. $a_n = \frac{n+1}{n}$
133. $a_n = \frac{4^{n+1} + 3^n}{4^n}$ 134. $a_1 = 1, \quad a_{n+1} = 2a_n - 3$